MMTC LIMITED DELHI REGIONAL OFFICE, NEW DELHI

(A Govt.of india Enterprises)

ADMINISTRATION DIVISION

NO. MMTC/ADMN./ELCTRICAL/01/2019-20 Dated :04.04.2019

TENDER DOCUMENT

NIT FOR MAINTENANCE OF ELECTRICAL INSTALLATIONS IN MMTC, DELHI REGIONAL OFFICE, FLATTED FACTORY COMPLEX, JHANDEWALAN, NEW DELHI

<u>DELHI REGIONAL OFFICE, FLATTED FACTORY COMPLEX,</u> <u>F-8-11,RANI JHANSI ROAD, JHANDEWALAN NEW DELHI,</u> New Delhi-110055

MMTC LIMITED DELHI REGIONAL OFFICE , NEW DELHI

ADMINISTRATION DIVISION

NO. MMTC/ADMN./ELCTRICAL/01/2019-20

Dated: 04.04.2019

NIT FOR MAINTENANCE OF ELECTRICAL INSTALLATIONS AT MMTC, DELHI REGIONAL OFFICE, FLATTED FACTORY COMPLEX, JHANDEWALAN NEW DELHI

INDEX

SL NO	DESCRPITION	PAGE NO.
1	Abstract	3
2	Notice Inviting Tender	4-9
3	Annexure-I	10-14
4	Price Bid (Annexure- II)	15-20

Abstract

- 1. Following documents are required to be furnished in the TECHNICAL BID complete in all respects.
 - i) Certified copy of satisfactory services where the tenderer is providing/provided the services for the last 3(three) years.
 - ii) Proof of valid registration with statutory authorities for work contract tax/GST/ TIN/Service Tax.
 - iii) Copy of PAN card issued by Income Tax Department
 - iv) Copy of valid license for electrical work issued from the concerned agency.
 - v) Prescribed EMD of Rs.10,000/- (Ten thousand only) in favour of MMTC Limited payable at New Delhi.

Dated: 04-04-2019

- vi) Information in Annexure land **proforma/declarations** as per format given in tender .
- vii) Arbitration cases pending against the tenderer, if any submit details
- viii) Whether black-listed by any clients in the last 5 years, if any.
- ix) In case the party is registered with Ministry of MSME/ its authorized agencies, he is required to submit registration certificate and store details in addition to above.

S.No.	Particulars	Details
1.	Procurement of tender document	Upto 15.00 hrs, 22.04.2019
2.	Tender Fee	NIL
3.	Earnest Deposit Money(EMD)	Rs.10,000/-(Rupees Ten thousand)
4.	Due date of tender(two bids) submission	Upto 16.00 hrs, 22.04.2019
5.	Technical bid's opening date	16.30 hrs 22.04.2019
6	Period of contract	Two year

NOTICE INVITING TENDER

Dated: 04.04.2019

Sub: <u>Electrical Maintenance Service work atMMTC</u>, <u>Delhi Regional</u> <u>Office</u>, <u>Jhandewalan</u>, <u>New Delhi</u>.

- 1) MMTC LIMITED invite sealed quotations in two bid systems from reputed experienced and valid license holder Electrical contractors for undertaking maintenance and related work of electric installations of the office premises at MMTC, Delhi regional office, Jhandewalan,Rani Jhansi road, New Delhi. Tenderers must have completed at least three years in the field of annual maintenance of electric installation in PSU's/Banks/Govt. Departments/Govt. Institutions. Details of the services required and other terms and conditions relating to the award of Contract are given below.
- 2) **SCOPE OF WORK :** The job of electrical work shall include thefollowing:
- (i) The Scope of the work covers providing electrical maintenance services for all electrical systems, DB rooms, fitting and fixtures, attending electrical faults, supply and fixing of the items/works mentioned in Annexure–II at DELHI REGIONAL OFFICE, FLATTED FACTORY COMPLEX,JHANDEWALAN, New Delhi. Besides above, tenderer is required to undertake any kind of electric work which MMTC may require at any point of time in our above said premises including installation of new switches, change over switches, bus bars, MS enclosures, dismantling of old panel cable switches, new panel installation with termination, gladding of all cables etc.
- (ii) The tenderer shall also be fully responsible for maintenance of all equipments and electrical installations as per the instruction of MMTC.
- 3) Validity of the contract: The period of contract shall be for a period of two year from the date of commencement of the contract unless terminated in accordance with the provision of the agreement or in accordance with law. However, the contract may be extended for a further period of one year on written mutual consent. MMTC reserves the right to terminate the contract by giving one month notice in writing and without assigning any reason thereof.

4) Eligibility conditions

- The tenderer should have a valid license for electrical work, copy of the same should be submitted.
- ii) The tenderer shall have an experience of at least 3 years or more in this field in Govt. Departments /PSUs /reputed organization.
- iii) Copy of GST certificate
- iv) In case the party is registered with Ministry of MSME/ its authorized agencies, he is required to submit registration certificate and store

details in addition to above. The MSEs parties will be eligible for the benefits as applicable to them under MSMEs Act, 2006.

5) Earnest Money Deposit (EMD):

i) The tenderer shall furnish an amount of Earnest Money of Rs.10,000 (Rupees Ten Thousand only) by way of Demand Draft drawn in favour of "MMTC LTD" payable at New Delhi in physical form for both type i.e. physical bid submission type or e-tenderer bid type. The bid security of the unsuccessful tenderer will be discharged/ returned subsequent to the award of Contract.

6) Submission of Tenders

Tender in the modes, e-tender as well as physical, shall be accepted. Parties can choose **any one mode** of submission of their bids.

A) For Online Submission

- i. Tender document is available on www.mmtclimited.com And MMTC e-procurement website https://mmtc.abcprocure.comfor online as well as physical mode submission of Tender. For online submission , Tenderer is required to obtain Class III Digital Signature (meant for e-tendering) from any of Certifying Authority recognized by Controller of Certifying Authority (www.cca.gov.in) and have to register with e-procurement portal https://mmtc.abcprocure.com (a one-time activity) independent of each other as detailed below.
- **ii. Procedure for obtaining Digital Certificate:** Tenderer should obtain digital certificate to participate in the e-Tender. The procedure for obtaining Digital certificate is given in the web site https://mmtc.abcprocure.com.In case of any difficulty, the tenderers can either mail or talk to the Technical Support Engineer, whose contact details are given below.
- **iii. Procedure for Registering in E-Procurement portal:** Tenderer has to register with our E-procurement portal. For registering, please go to **https://mmtc.abcprocure.com** and follow the directions. In case of any difficulty either mail or talk to the Technical Support Engineer, whose contact details are given below.
- iv. For any assistance on e-bidding process, please contact Mr. Sumit Kumar, 9265562826, sumit.kumar@eptl.in or below persons:-

e-Tendering Services (Uploading / Bidding)

	e remaining certifies (epicaaming / zinaming /					
S.Nos	Name of Contact Person	Mobile & Landline No.	e-Mail Ids			
1	Pankesh Kumar	09374519729 / 079- 6813 6848	pankesh@eptl.in			
2	JeetikshShamnani	079-6813 6854	jeetiksh@eptl.in			
3		079-6813 6833 / 50	support@abcprocure.com			
		/ 78 / 23 / 49				

v. Parties who prefer submission of tender in physical mode, may drop their entire Tender documents, sealed in a single envelope (indicate the tender no and subject on top of the envelope), in the tender Box kept at the reception counter of the office at MMTC Limited, F8-11, Flatted factories Complex, Jhendewallan, RaniJhansi Road, New Delhi-55, between the office hours.

B) For Physical submission-

- i) All interested service providers are requested to submit their Sealed tenders in **two separate envelops** comprising **(A) TECHNICAL BID** with prescribed EMD & documents and **(B) PRICE BID(Annexure II)**, bearing the name and address of the tenderers in bids, should be dropped in the Tender Box kept in the MMTC office, at main gate, MMTC Limited, F 8-11, Jhandewalan flatted factories complex, Rani Jhansi Road, Jhandewalan, New Delhi-110055 on or before 1600 hrs of 22nd April'2019.
 - Tender documents can be obtained within due date at the office of the CM (Admin), MMTC Limited, F 8-11, Jhandewalan flatted factories complex , Rani Jhansi Road, Jhandewalan , New Delhi-110055. Tender Document can also be downloaded from the website of the MMTC LIMITED i.e.www.mmtclimited.com. The intending tenderers may download the tender document containing the terms and conditions and submit the same along with the Tender Document.
- ii) Sealed tender should superscribe "Tender for maintenance of electrical installations"
- iii) Technical bids shall be opened on 22nd April, 2019 at 1630 Hrs. in the presence of authorized representatives of tenderers who wish to be present at the time of opening of bids. The representative should bring authorization letter to attend technical bid opening.
- iv) Late/delayed tenders due to any reason, whatsoever, will not be accepted under any circumstances.
- v) The TECHNICAL BIDS shall be scrutinized/ verified by MMTC in terms of the tender and subsequently the eligible PRICE BIDS shall be opened within a period of 30 days. The agency who has quoted lowest grand total of items in Annexure - II will be selected as L1 vendor.
- 7) The Tender should remain valid for a period of 90 days from the date of opening of PRICE BID.
- 8) Overwriting in the rates quoted will render the tender to be summarily rejected.
- 9) The rates should be inclusive of all charges without GST. The GST percentage should be separately mentioned.
- 10) Agencies are advised to visit the place of work to acquaint themselves with requirement and quantum of work realistically before quoting the rates. No claim shall be entertained later on the

- grounds of lack of knowledge. It is understood that terms and conditions have been read and acceptable to the tenderer/contractor.
- 11) If the tenderer deliberately gives wrong information in his tender, MMTC reserves the right to reject such tender at any stage or to cancel the contract. The EMD may be forfeited in the event of:
 - i) If a tenderer withdraws its tender during the period of tender validity.
 - ii) In the case of successful tenderer, if the tenderer fails to carry out the work as requirement of MMTC.
 - iii) if the work of the tenderer is found unsatisfactory.
- 12) MMTC do not bind to accept the lowest Tender and reserves the right to reject any or all the Tenders in full or partly, without assigning any reasons whatsoever.

CHIEF MANAGER(ADMN.)
DELHI REGIONAL OFFICE,
FLATTED FACTORY COMPLEX,
F-8-11,RANI JHANSI ROAD,
JHANDEWALAN NEW DELHI,
New Delhi-110055

TERMS & CONDITIONS

- 1) No increase in the rate shall be given during the contract period.
- Services of two electricians of the tenderer shall have to be available in office premise from 9:00 Hrs to 20:00 Hrs. for attending day to day electrical complaints on all working days and Saturdays. No separate wages will be paid for electricians. The charges for providing electricians are deemed to be included in item No.11 of Price Bid). However, extra charges will be paid for deputing the electrician to attend the work of in emergency at our work place after above hours and out of the office premises per visit/per day as the case may be at the rate quoted by L1 party.
- The work is to be done on item rate basis. The rates should include the cost of the items, labour charges, transportation of material to and fro from the site as and when required. Nothing extra is payable on this account. Transportation of any wastage, exchange of rejected /defective / surplus material etc. shall have to be arranged by the tenderer at his own risk and costs. Also any material brought inside or taken out of the premises shall have necessary prior permission to do so.The amount of EMD of Rs. 10,000/- deposited at the time of participation will be converted into interest free security deposit which will be discharged after completion of tenderer performance obligations.
- 4) The tenderer shall also ensure that no labour below the age of 18 years is employed by him for the above mentioned jobs.
- 5) The tenderer shall ensure that workmen deployed by him should be competent and qualified to carry out electrical works ,should behave decently and do not indulge themselves in any such activities which are unbecoming on the part of a person working in a Government Office.
- 6) The tenderer shall have to make his own arrangements for storage of material required for the job.
- 7) The tenderer shall be responsible for the safety of all items of furniture, office equipment and other fittings provided in the premises and shall be liable to make good of any loss to the same if damaged during the execution of work which shall be recoverable from his monthly bill or the security deposit or any other dues payable to the tenderer by the company.
- 8) The tenderer shall be responsible for any injury/death caused to persons, which may arise from the operations or neglect of any person of the tenderer team or any person engaged by him for any purpose related to the execution of this contract or to things (fittings/fixtures/furnishings etc.) any damage caused to any property of MMTC etc. The tenderer/contractor shall

indemnify MMTC of all liabilities arising out of his operations in any way under any acts of the Government and also in award of any compensation or damaged consequent upon any claim arising out of the above.

- 9) The successful tenderer shall not sub-let the part or complete work without written permission of MMTC. The tenderer is fully responsible to MMTC for the work if awarded to him.
- 10) In case of non-completion or delay in completion of the assigned work or non removal of defects in time, MMTC shall be free to appoint another agency to get the job done at the contractor's risk and cost.
- 11) TDS, Income Tax etc. shall be deducted from all running account bills as per the statuary requirement and its applicable amendments.
- 12) The tenderer shall submit his monthly bills, in Triplicate to the Division every month. Payment shall be released after necessary deductions of prevalent taxes, cess, TDS etcthrough ECS.

CHIEF MANAGER (ADMN.)
DELHI REGIONAL OFFICE,
FLATTED FACTORY COMPLEX,
F-8-11,RANI JHANSI ROAD,
JHANDEWALAN NEW DELHI,
New Delhi-110055

ANNEXURE-I

TECHNICAL BID

(On the Letter Head of Applicant) Application Form for Empanelment of contractor for

MM7 F 8- Rani New	ager. Dated: TC Limited, 11, Flatted Factories Complex, Jhansi Road, Jhandewalan, Delhi-110055 Sir,
MAII FACT	reference to your tender No inviting applications for FOR NTENANCE OF ELECTRICAL INSTALLATIONS IN MMTC, DELHI REGIONAL OFFICE, FLATTED ORY COMPLEX, JHANDEWALAN NEW DELHI, we submit our application for your ideration. The profile of the Firm/Company is as follows:
01	Name and address of the company/firm (along with duly attested copies of registration)
02	Name of Proprietors/Partners/Directors along with: Telephone No Mobile No PAN No Email Id: Fax No. if any (Attach a Copy of PAN Card)
03	Details of EMD of Rs.10, 000/- (Rs. Ten Thousand only) which will be returned to applicants in case of non empanelment within three month of tender opening. DD/BC No Date Bank
04	GSTRegistration Number and PAN No. of Proprietor/Firm. (Self attested Copies to be attached)
05 06	Any other relevant information. Names of the Government/ PSU's/Private organizations etc. for whom you have provided services in the last three years along with value and relevant documents. (Attach copies of the work / job orders)
07	Agree to abide by the terms and conditions of Tender
	Name: Designation:
	STAMP

Following documents are required to be furnished in the TECHNICAL BID complete in all respects.

Information/Document	Submitted (Yes/NO)
Certified copy of work order/ services where the	
tenderer is providing/provided the services	
for the last 3(three) years.	
Proof of valid registration with statutory	
authorities for work contract tax/GST/	
TIN/Service Tax registration	
Copy of PAN card issued by Income Tax	
Department	
Copy of valid license for electrical work issued	
from the concerned agency.	
Prescribed EMD of Rs.10,000/- (Ten thousand	
only) in favour of MMTC Limited payable at	
New Delhi.	
Proforma for near relative /declarations as per format given below in this tender .	
Arbitration cases pending against the tenderer, if	
any submit details	
Whether black-listed by any clients in the last 5	
years, if any.	
In case the party is registered with Ministry of	
MSME/ its authorized agencies, he is required to	
submit registration certificate and store details in	
addition to above.	

PROFORMA FOR NO NEAR RELATIVE (S) OF THE TENDERER WORKING IN MMTC Ltd

(Re	commended to be execute Magistrate by the tenderer)		tamp papei	· & atte	sted by P	ublic Notary/E	xecutive
l,	Director/Company	Secretary				company of my near re	M/s lative (s)
	is/are employed in MMTC L information given by me is action as deemed fit, withou	false/incorrect,	given below MMTC Ltd	v. In case shall ha	e at any sta	age, it is found	that the
The	near relative (s) means: a						
-	embers of a Hindu Undivided hey are husband and wife.	d family;					
-	he one is related to the o	ther in manne	r as father,	mother	, son(s) &	son's wife (d	laughter-
	inlaw),Daughter (s) & daug sister's husband (brother-in		(son-in-law)	brothe	r (s) and b	rother's wife,	sister (s)
Cer	tificate will be given by all t directors).	he Directors of	the compa	ny (or co	ompany se	cretary on beh	ialf of all
Any	breach of these condition money/security deposit will not pay any damages to the the persons will also be deb	be forfeited a company or fi	t any stage rm or the co	wheneve oncerned	er it is so r I person. T	noticed. MMT0 The company o	C Ltd will
	Name of Director		_				
	Signature						
	2. Name of Director		_				
	Signature						
	OR						
	Name of Company Secretar						
	Signature						

DECLARATION REGARDING ACCEPTANCE TO TERMS & CONDITIONS OF THE TENDER

1. I/	/We, Director/authorized signatory of the Company M/s
	is competent to sign this declaration and execute this tender document.

- 2. I have carefully read, understood and accept all the terms and conditions of the tender and undertake to abide by them.
- 3. The information / documents furnished along with the above application are true and authentic to the best of my knowledge and belief.
- I / we, am / are well aware of the fact that furnishing of any false information / fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law.

SIGNATURE OF THE TENDERER WITH SEAL

DECLARATION REGARDING BLACKLISTING/ NON-BLACKLISTING FROM TAKING PART IN GOVT.TENDER

(Recommended to be executed on Rs.20/- Stamp paper & att Magistrate by the tenderer)	tested by Public Notary/Executive
I/We Director(s)/Authorized Signatory of of M/S the Company has not been blacklisted or debarred in the Commerce & Industry or any other Government Departmen taking part in Government tenders.	past by MMTC Ltd or Ministry of
Or	
I / We Director(s) of M/S hereby M/S hereby byMMTC Ltd or Ministry of Commerce & Industry or any ottaking part in Government tenders for a period of ye is over onand now the company is entitled to take	was blacklisted or debarred her Government Department from ears w.e.f The period
In case the above information found false I/We are fully aware rejected/cancelled by MMTC Ltd, and EMD/SD shall be forfeit	
In addition to the above, MMTC Ltd, will not be responsible to partially completed work.	p pay the bills for any completed /

SIGNATURE OF THE TENDERER WITH SEAL

ANNEXURE-II

PRICE BID

Overwriting in the rates quoted will render the tender to be summarily reject.

The rates should be inclusive of all charges without GST. The GST percentage should be separately mentioned

S.N	DESCRIPTION OF ITEMS	RATE/UNIT (Rs.)
Ο.		(Without GST)
1.	Commissioning of a non-working lighting fixture.	(Without GST)
	i) Single tube fittings 4' 36/40 Watt Patty type	
	(ii) Replacing Choke, Copper wound/Electronic	
	Philips	
	Make or equivalent	
	iii) Replacing CFL Bulb	
	iv) Replacing of tube light	
	v) Providing & fixing of Single 4' 36/40 Watt Patti	
	with complete fittings Philips or equivalent	
	including tube light	
	(vi) Providing & fixing Starter,40W Philips/Bajaj	
	(vii) Providing/fixing 60 watt bulb	
	(viii) Providing & fixing CFL 8/9/12/13 watt Holder	
	(ix) Supply/replacing Hellogen Bulb 50 Watt)	
	(x) Supply/replacing Hellogen Holder	
	NOTE : Only Tube Lights, CFL & Chokes shall be supplied by MMTC	
2	Checking defective ceiling/pedestal/wall mounting/	RATE/UNIT (Rs.)
_	exhaust fan for vibration, sound or burnt or	(Without GST)
	complete non working state, not picking up full	(,
	speed and rectifying the fault by supplying &	
	replacing the defective :-	
	(i) Capacitor, Philips/Usha/Polar/ MEI equivalent	
	ii) Regulator, 400 W/300W Electronic	
	(iii) Ball bearing SKF/NBC	

15

	(iv) Overhauling of fans	
	(v) Rewinding of Ceiling/Pedestal/Wall	
	mounting/exhaust fans	
	(vi) Replacing of ceiling fan	
	NOTE: Scrap wires will be retained by the contractorand guarantee for 6 months to be given against any replacement of winding.	
3	Supplying and making of following outlet in	
	wall/partition as per existing interior including all necessary materials like Switch, socket	
	plate, inter connection wire as required	
	(i) 5 AMP switch with 5 pin socket combine	
	(ii) 15 AMP with 6 pin socket combine	
4	Providing/fixing & commissioning of the	
	following accessories in the existing switch	
	boards and fixtures, etc.	
	(i) 5 Amps 250 Volt Switch, Anchor make	
	(ii) 5 Amps 250 Volt Socket Anchor make	
	(iii) 15 Amps 150 Volt Switch Anchor make	
	(iv) 15 Amps 150 Volt Socket Anchor make	
	(v) Pin type holder for CFL	
	(vi) 5 Amps 250 Volt 3 pin plug top, Anchor	
	(vii) 15 Amps 250 Volts 3 Pin Plug Anchor	
	(viii) 63 Amps 415 Volt AC, HRC Fuse English	
	Electric/Standrad/equivalent	
	(ix) 100 Amp HRC Fuse English/Electric standard	
	(x) Strip Type 20 Watt - Fitting Philips or equivalent	-
	(xi) 63 Amp 415 Volt AC, HRC Fuse base holder	
	type SM 32 English	
	Electric/Standard/Equivalent	
	(xii) 32 Amps TP& N 415 Volt AC Switch type C/S	
	F,	
	(xiii) 32 Amp Standard switchgear make only Havells	
	i idiolis	

	(xiv) 63 Amp TP&N 500 V AC switch type FA L&T	
	standard or equivalent	
	(xv) 5 Amp to 32 Amp Single pole MCB	
	(xvi) 40 Amp Single Pole MCB	
	(xvii) 40 Amp Double Pole MCB	
	(xviii)63 Amp Single Pole MCB	
	(xix) 63 Amp double Pole MCB	
	(xx) 63 Amp 220/380 Volt earth leakage circuit	
	breaker Indo-Asian Switch gear/Eng.	
	Electric/equivalent	
	(xxi) 40 Amp 220/380 Volt earth leakage circuit	
	breaker Indo-Asian Switch gear/English	
	Electric/equivalent	
	(xxii) 100 Amp F A type Switch interior	
	(xxiii) 500 Watt Halogen Tube	
	(xxiv) 5 Amp Gang Box Anchor/BT	
	(xxv) 15 Amp Gang Box Anchor/BT	
	(xxvi) 5 Amp multi-plug with one outlet of 3 pin and	
	two socket & two pin anchor make only	
	(xxvii) 15 Amp multi-plug with one outlet of 3 pin &	
	two of two pin Anchor make only	
	(xxviii) 100 Amp MCCB	
	(xxix) 63 Amp MCCB	
	(xxx) 32 Amp/250 Volt D.P. Switch for A/C and other heavy	
	electrical appliances Anchor make only	
	(xxxi)) Plate type switch socket combination of	
	5/15 Amp Anchor make	
	(xxxii) 40 Amp DP MCB	
	(xxxiii) 63 AMP DP MCB	
5.	Providing and fixing of the following , ROMA brand	RATE/UNIT (Rs.)
	or equivalent	(Without GST)
	(i) 1 Module plate	
	(ii) 2 Module plate	
	(iii) 3 Module plate	
	(iv) 4 Module plate	
L		

	(v) 12 Module plate	
	(vi) 5 Amp switch	
	(vii) 15 Amp switch	
	(viii) 5 Amp socket	
	(ix) 15 Amp socket	
	(x) Blanking plate	
	(xi) Dyna Box 3" X 3"	
	(xii) Dyna Box 5" X 5"	
6.	(a) Providing and fixing fresh air fan 9" size Khaitan, Crompton greeves or equivalent	
	(b) Providing and fixing exhaust fan 6" dia, Khaitain, Siyaram or equivalent	
7	Providing/fixing wooden extension board on working table incorporating one set of 15 amp switch and 15 amp piano type socket and two set	
	of 5 amp switch, 5 amp socket outlet complete with 3 mm thick hylem sheet with 2.5 mtr 3 core wire.	
8	Supplying and fixing of metal boxes/extension box(Spix type) following:	
	(i) 5 AMP switch and 4 nos. 5 AMP 5 pin socket	
	(ii) 15 AMP switch and 3 nos. 15 AMP 6 pin socket	
9	Providing & replacing of 2 KW heating element of hot cases as required(make THETA or other ISI mark)	
10	Supplying and connecting Wire/cables of premiere/plaza/Kalinga or equivalent Make copper conductor PVC insulated round wire (per Mtr.)	RATE/UNIT (Rs.) (Without GST)
	(a) 1mm	
	(b) 1.5mm	
	(c) 2.5mm	
	(d) 4.0mm	
	(e) 6.00mm	
	(f) 10.00 mm	
	(g) 16.00 mm	
	(h) 23/76 Guage Two core	
	(i) 23/76 Guage Three core	

	(j) 40/76 Guage Three core	
	(k) $\frac{3}{4}$ " to 3" PVC Channel	
	(I) 3/4", 1" PVC Pipe	
11	MONTHLY CHARGES for attending all electrical maintenance work in the office, rectification of fault, emergency in DB Room, incl. checking cable termination in panels, isolators, bus bar connections, operation in DB Room etc. (It Includes all tools/ Fuse wire, black tape, inter connection wires and any other services not covered in any other items above shall be deemed to	
	be included in this item.)	

12	Additional Items	Rate/Unit(Without GST)
	20 week LED to be light (Phillips / some / soules 9. Facility along)	
	20 watt LED tube light (Philips/surya/syska& Equivalent)	
	20 watt LED tube light strip fitting (Philips/surya/syska&	
	Equivalent)	
	CFL 8 watt (Philips/surya/syska& Equivalent)	
	CFL 11 watt (Philips/surya/syska& Equivalent)	
	6 watt round panel down lighter (Philips/surya/syska& Equivalent)	
	12 watt round panel down lighter (Philips/surya/syska& Equivalent)	
	15 watt round panel down lighter (Philips/surya/syska&	
	Equivalent)	
	18 watt round panel down lighter (Philips/surya/syska& Equivalent)	

3 watt round fixture in POP ceiling Providing and fixing 24'x24' LED recessed mount fixture (Philips/syska equivalent) Providing and fixing 12'x12' LED recessed mount fixture (Philips/syska equivalent) 6 watt surface mount LED panel round with LED 6 watt surface mount LED panel square with LED LED 4 watt bulb (Philips/surya/syska& Equivalent) LED 7 watt bulb (Philips/surya/syska& Equivalent) LED 8 watt bulb (Philips/surya/syska& Equivalent) LED 12 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) Remote bell with Indian cell 7 relectric meter rooms Rate/Unit(Without GST) 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent)			
(Philips/syska equivalent) Providing and fixing 12'x12' LED recessed mount fixture (Philips/syska equivalent) 6 watt surface mount LED panel round with LED 6 watt surface mount LED panel square with LED LED 4 watt bulb (Philips/surya/syska& Equivalent) LED 7 watt bulb (Philips/surya/syska& Equivalent) LED 8 watt bulb (Philips/surya/syska& Equivalent) LED 12 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) Remote bell with Indian cell For electric meter rooms 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 200 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent)		3 watt round fixture in POP ceiling	
Providing and fixing 12'x12' LED recessed mount fixture (Philips/syska equivalent) 6 watt surface mount LED panel round with LED 6 watt surface mount LED panel square with LED LED 4 watt bulb (Philips/surya/syska& Equivalent) LED 7 watt bulb (Philips/surya/syska& Equivalent) LED 12 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) Remote bell with Indian cell 4 For electric meter rooms Rate/Unit(Without GST) 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G			
(Philips/syska equivalent) 6 watt surface mount LED panel square with LED 6 watt surface mount LED panel square with LED LED 4 watt bulb (Philips/surya/syska& Equivalent) LED 7 watt bulb (Philips/surya/syska& Equivalent) LED 8 watt bulb (Philips/surya/syska& Equivalent) LED 12 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) Remote bell with Indian cell 14 For electric meter rooms Rate/Unit(Without GST) 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent)			
6 watt surface mount LED panel round with LED 6 watt surface mount LED panel square with LED LED 4 watt bulb (Philips/surya/syska& Equivalent) LED 7 watt bulb (Philips/surya/syska& Equivalent) LED 8 watt bulb (Philips/surya/syska& Equivalent) LED 12 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) Remote bell with Indian cell For electric meter rooms Rate/Unit(Without GST) 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		Providing and fixing 12'x12' LED recessed mount fixture	
6 watt surface mount LED panel square with LED LED 4 watt bulb (Philips/surya/syska& Equivalent) LED 7 watt bulb (Philips/surya/syska& Equivalent) LED 8 watt bulb (Philips/surya/syska& Equivalent) LED 12 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) Remote bell with Indian cell 14 For electric meter rooms Rate/Unit(Without GST) 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent)		(Philips/syska equivalent)	
6 watt surface mount LED panel square with LED LED 4 watt bulb (Philips/surya/syska& Equivalent) LED 7 watt bulb (Philips/surya/syska& Equivalent) LED 8 watt bulb (Philips/surya/syska& Equivalent) LED 12 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) Remote bell with Indian cell 14 For electric meter rooms Rate/Unit(Without GST) 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent)			
LED 4 watt bulb (Philips/surya/syska& Equivalent) LED 7 watt bulb (Philips/surya/syska& Equivalent) LED 8 watt bulb (Philips/surya/syska& Equivalent) LED 12 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) Remote bell with Indian cell For electric meter rooms Rate/Unit(Without GST) 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent)		6 watt surface mount LED panel round with LED	
LED 7 watt bulb (Philips/surya/syska& Equivalent) LED 8 watt bulb (Philips/surya/syska& Equivalent) LED 12 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) Remote bell with Indian cell 14 For electric meter rooms Rate/Unit(Without GST) 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent standard) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1001 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1001 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1001 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1001 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1001 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1001 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent)		6 watt surface mount LED panel square with LED	
LED 8 watt bulb (Philips/surya/syska& Equivalent) LED 12 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) Remote bell with Indian cell 14 For electric meter rooms Rate/Unit(Without GST) 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		LED 4 watt bulb (Philips/surya/syska& Equivalent)	
LED 12 watt bulb (Philips/surya/syska& Equivalent) LED 15 watt bulb (Philips/surya/syska& Equivalent) Remote bell with Indian cell 14 For electric meter rooms Rate/Unit(Without GST) 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		LED 7 watt bulb (Philips/surya/syska& Equivalent)	
LED 15 watt bulb (Philips/surya/syska& Equivalent) Remote bell with Indian cell 14 For electric meter rooms 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		LED 8 watt bulb (Philips/surya/syska& Equivalent)	
Remote bell with Indian cell For electric meter rooms Rate/Unit(Without GST) 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		LED 12 watt bulb (Philips/surya/syska& Equivalent)	
For electric meter rooms Rate/Unit(Without GST) 200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		LED 15 watt bulb (Philips/surya/syska& Equivalent)	
200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		Remote bell with Indian cell	
200 AMP change over switch(Havells/ schindellers or equivalent) 200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G	14	For electric meter rooms	Rate/Unit(Without
equivalent) 200 AMP interior TP switch in MS enclosures (Havells/schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G			GST)
200 AMP interior TP switch in MS enclosures (Havells/ schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		200 AMP change over switch(Havells/ schindellers or	
schindellers or equivalent standard) 100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		equivalent)	
100 AMP MCCB in enclosure of (Havells/ schindellers or equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		200 AMP interior TP switch in MS enclosures (Havells/	
equivalent standard) 200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		schindellers or equivalent standard)	
200 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		100 AMP MCCB in enclosure of (Havells/ schindellers or	
schindellers or equivalent) 100 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		equivalent standard)	
100 AMP Al bus bar TPN in MS enclosure (Havells/schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		200 AMP Al bus bar TPN in MS enclosure (Havells/	
schindellers or equivalent) 1000 AMP Al bus bar TPN in MS enclosure (Havells/ schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		schindellers or equivalent)	
1000 AMP Al bus bar TPN in MS enclosure (Havells/schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		100 AMP Al bus bar TPN in MS enclosure (Havells/	
schindellers or equivalent) Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		schindellers or equivalent)	
Consumable lube thimble of required ms for cable termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		1000 AMP Al bus bar TPN in MS enclosure (Havells/	
termination in bus bar Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		schindellers or equivalent)	
Insulation tape as well as cotton of insulation thimble 400 AMP 03 pole MCCB O/G		Consumable lube thimble of required ms for cable	
400 AMP 03 pole MCCB O/G		termination in bus bar	
· · · · · · · · · · · · · · · · · · ·		Insulation tape as well as cotton of insulation thimble	
200 AMP 03 pole MCCB O/G		400 AMP 03 pole MCCB O/G	
		200 AMP 03 pole MCCB O/G	

IN WORDS		
(RUPEES		ONLY)
GST percentage on the above items = % GST percentage on Monthly Charges(item 11) =	0/0	

SIGNATURE OF THE HEAD OF THE COMPANY/FIRM